

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name or designation of the mixture	Universal Blue - Light, Medium & Heavy Grades		
Registration number	-		
Synonyms	None.		
SDS number	2		
Issue date	22-August-2011		
Version number	04		
Revision date	21-March-2014		
Supersedes date	23-July-2013		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Non-Setting and Non-Hardening Gasketing Compound.		
Uses advised against	None known.		
1.3. Details of the supplier of the	e safety data sheet		
Manufacturer:	Hylomar Ltd.		
Address:	Hylo House, Cale Lane, New Springs,		
	Wigan, Greater Manchester,		
	UK, WN2 1JT		
Telephone number:	+44(0)1942 617000		
E-mail address:	info@hylomar.co.uk		
Contact person:	Technical Department		
1.4. Emergency telephone number	1-760-476-3961		
	A		

Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification

Carc. Cat. 3;R40, Xn;R22-48/20, Xi;R36/38

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazar	ds
--------------	----

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Carcinogenicity	Category 2	H351 - Suspected of causing cancer.
Specific target organ toxicity - repeated exposure	Category 2 (liver, kidney, lung, central nervous system)	H373 - May cause damage to organs (liver, kidney, lung, central nervous system) through prolonged or repeated exposure.

Hazard summary

Physical hazards	Not classified for physical hazards.	
Health hazards	Harmful if swallowed. Irritating to eyes and skin. Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation.	
Environmental hazards	Not classified for hazards to the environment.	
Specific hazards	Prolonged exposure may cause chronic effects.	
Main symptoms	Symptoms include itching, burning, redness, and tearing of eyes. Itching, redness, burning of skin. Vapours may cause drowsiness and dizziness.	

2.2. Label elements

Label according to Regulation (I			
Contains:	Dichlormethane		
Hazard pictograms	$\wedge \wedge$		
Signal word	Warning		
Hazard statements H302 - Harmful if swallowed.			
	 H315 - Causes skin irritation. H319 - Causes serious eye irritation. H351 - Suspected of causing cancer. H373 - May cause damage to organs (liver, kidney, lung, central nervous system) through prolonged or repeated exposure. 		
Precautionary statements			
Prevention	P201 - Obtain special instructions before use. P260 - Do not breathe mist or vapour. P280 - Wear protective gloves/eye protection/face protection.		
Response	P307 + P311 - If exposed: Call a poison center/doctor.		
Storage	P405 - Store locked up.		
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.		
Supplemental label information	None.		
2.3. Other hazards	Not a PBT or vPvB substance or mixture.		
SECTION 3: Composition/	information on ingredients		
3.2. Mixtures			
General information			
Chemical name	% CAS-No. / EC No. REACH Registration No. INDEX No. Notes		
Dichlormethane	25-65 75-09-2 - 602-004-00-3 200-838-9		
	D: Carc. Cat. 3;R40, Xn;R22-48/20, Xi;R36/38		
CLF	Acute Tox. 4;H302, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Carc. 2;H351, STOT RE 2;H373		
#: This substance has workpla CLP: Regulation No. 1272/200 DSD: Directive 67/548/EEC.			
Composition comments	The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.		
SECTION 4: First aid meas	sures		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
4.1. Description of first aid meas			
Inhalation	Move into fresh air and keep at rest. If not breathing, give artificial respiration or give oxygen by trained personnel. Get medical attention if any discomfort continues.		
Skin contact	trained personnel. Get medical attention if any discomfort continues. Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If irritation develops and persists, get medical attention.		
Eye contact	Immediately rinse eyes with water. Remove any contact lenses, and continue flushing eyes with running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get immediate medical attention.		
Ingestion	Rinse mouth thoroughly. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Drink a few glasses of water or milk. Get medical attention immediately.		
4.2. Most important symptoms and effects, both acute and delayed	Symptoms include itching, burning, redness, and tearing of eyes. Itching, redness, burning of skin. Vapours may cause drowsiness and dizziness.		
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.		

SECTION 5: Firefighting measures

General fire hazards	The product is not flammable.
5.1. Extinguishing media	
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	By heating and fire, toxic vapours/gases may be formed. Solvent vapours may form explosive mixtures with air.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Special fire fighting procedures	Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	hergency Keep upwind. Ventilate closed spaces before entering them. Avoid inhalation of vapours/spray contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.			
For emergency responders	Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.			
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.			
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources. Ventilate the area. Wipe up with absorbent material (e.g. cloth, fleece). Transfer to a container for disposal. Following product recovery, flush area with water.			
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.			

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapours/spray and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.
7.2. Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials. Store in closed original container at temperatures between 5°C and 25°C.
7.3. Specific end use(s)	Non-Setting and Non-Hardening Gasketing Compound.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	
Dichlormethane (CAS 75-09-2)	STEL	1060 mg/m3	
,	TWA	300 ppm 350 mg/m3 100 ppm	

Biological limit values

UK. EH40 Biological Monitoring Guidance Values (BMGVs)

Components	Value	Determinant	Specimen	Sampling time
Dichlormethane (CAS 375-09-2)	30 ppm	Carbon monoxide	end-tidal breath	*
* - For sampling details, plea	se see the source document.			
ecommended monitoring rocedures	Follow standard mo	nitoring procedures	3.	
erived no-effect level (DNEL)	Not available.			

Predicted no effect concentrations (PNECs)	Not available.		
Exposure guidelines			
UK EH40 WEL: Skin design	ation		
Dichlormethane (CAS 75	-09-2) Ca	an be absorbed through the skin.	
8.2. Exposure controls			
Appropriate engineering controls	Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.		
Individual protection measures	such as personal protective equip	pment	
General information	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.		
Eye/face protection	If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn.		
Skin protection			
- Hand protection		alcohol gloves are recommended. Be aware that the liquid may ange is advisable. Suitable gloves can be recommended by the	
- Other	Normal work clothing (long sleeved	d shirts and long pants) is recommended.	
Respiratory protection	equipment with gas filter (type A2). below recommended exposure limit	or risk of inhalation of vapours, use suitable respiratory I. If engineering controls do not maintain airborne concentrations hits (where applicable) or to an acceptable level (in countries een established), an approved respirator must be worn.	
Thermal hazards	Not applicable.		
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Environmental exposure controls	Environmental manager must be in	nformed of all major releases.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Blue thixotropic gel.	
Physical state	Liquid.	
Form	Thixotropic gel.	
Colour	Blue.	
Odour	Sweet.	
Odour threshold	Not available.	
рН	Not applicable.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not applicable.	
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not applicable.	
Flammability limit - upper (%)	Not applicable.	
Vapour pressure	47 kPa (20 °C)	
Vapour density	2.93 (Air = 1) (20 °C)	
Relative density	1.32 (20 °C)	
Solubility(ies)	Slightly miscible.	
Partition coefficient (n-octanol/water)	Log Pow: 1.25 - 1.30 (measured)	
Auto-ignition temperature	600 °C (1112 °F)	
Decomposition temperature	Not available.	
Viscosity	Not applicable.	
Explosive properties	Not available.	

Oxidizing properties	Not available.
9.2. Other information	
Explosive limit	Not available.
VOC (Weight %)	25 - 65 % (Hylomar Test Method 1.1A Determination of Volatile Matter)

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Heat, sparks, flames, elevated temperatures.
10.5. Incompatible materials	Strong oxidising agents. Alkali metals.
10.6. Hazardous decomposition products	Phosgene. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely rout	tes of exposure	
Ingestion	Harmful if swallowed. Ingestion may cause irritation and malaise.	
Inhalation	Vapours may cause drowsiness and dizziness.	
Skin contact	Causes skin irritation. May be absorbed through the skin.	
Eye contact	Causes serious eye irritation.	
Symptoms	Symptoms include itching, burning, redness, and tearing of eyes. Itching, redness, burning of skin. Vapours may cause drowsiness and dizziness.	

11.1. Information on toxicological effects

Acute toxicity	Harmful if swallowed.	
Product	Species	Test results
Universal Blue - Light, Medium	& Heavy Grades (CAS Mixture)	
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg
Inhalation		
LC50	Rat	15000 ppm
Oral		
LD50	Rat	1410 - 2524 mg/kg
Components	Species	Test results
Dichlormethane (CAS 75-09-2))	
Acute		
Inhalation		10.0
LC50	Guinea pig	40.2 mg/l, 6 Hours
	Mouse	56.23 mg/l, 7 Hours
		51.5 mg/l, 2 Hours
		49.1 mg/l, 6 Hours
	Rat	2000 mg/l, 15 Minutes
		88 mg/l, 900 Days
		79 mg/l, 2 Hours
		52 mg/l, 6 Hours
LD50	Mouse	16000 mg/l, 7 Hours
Oral		
LD50	Rat	1600 mg/kg
Other		
LD50	Mouse	437 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	

Respiratory sensitisation	Not classified.	
Skin sensitisation	Not classified.	
Germ cell mutagenicity	Positive in vitro, but negative in viv	o assays.
Carcinogenicity	Suspected of causing cancer.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity	
Dichlormethane (CAS 75-	·09-2) 2B	Possibly carcinogenic to humans.
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	May cause damage to organs thro Liver. Kidneys. Lung	ugh prolonged or repeated exposure: Central nervous system.
Aspiration hazard	Not classified.	
Mixture versus substance information	Not available.	
Other information	Symptoms may be delayed. Sever irregular rhythm.	e overexposure may cause cardiac sensitisation and result in

SECTION 12: Ecological information

12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test results
Universal Blue - Light, Medium 8	Heavy Grad	es (CAS Mixture)	
	LC50	Salmo garidneri	5.5 mg/l, 96 hours
Aquatic			
Algae	EC50	Algae	> 662 mg/l, 48 hours
Crustacea	EC50	Daphnia magna	135 - 2270 mg/l, 48 hours
Fish	LC50	Guppy (Poecilia reticulata)	295 mg/l, 14 days
	NOEC	Pimephales promelas	357 mg/l, 8 days
Components		Species	Test results
Dichlormethane (CAS 75-09-2)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1250 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales prome	as) 140.8 - 277.8 mg/l, 96 hours
12.2. Persistence and degradability		uct is not readily biodegradable. BOD: 5 - 25 dable. Degradation = 100% / 28 days.	5% / 28 days. The product is intrinsically
12.3. Bioaccumulative potentia		to bioaccumulate is low. BCF (Cyprinus carı 5 - 1.30 (measured).	pio): 6.4 - 40, 42 days at 0.025 ppm. Log
Partition coefficient	Log Pow:	1.25 - 1.30 (measured)	
n-octanol/water (log Kow) Dichlormethane (CAS 75-09	9-2)	1.25	
Bioconcentration factor (BCF)	Not availa	able.	
12.4. Mobility in soil	Not availa	able.	
Mobility in general	The produ	The product is slightly soluble in water.	
12.5. Results of PBT and vPvB assessment	Not a PB	T or vPvB substance or mixture.	
12.6. Other adverse effects	possibility		rdous. However, this does not exclude the mful or damaging effect on the environment. event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Do not discharge into rivers, lakes, mountains, etc. because the product may affect the environment.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose of in accordance with local regulations.

SECTION 14: Transport information

ADR		
14	I.1. UN number	UN2810
14	I.2. UN proper shipping	Toxic liquid, organic, n.o.s. (Dichlormethane)
	ame	
14	1.3. Transport hazard class	(es)
	Class	6.1
	Subsidiary risk	-
	Label(s)	6.1
	Hazard No. (ADR)	60
	Tunnel restriction code	E
	1.4. Packing group	III
	1.5. Environmental hazards	
14	4.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
fo	r user	
RID		
14	1.1. UN number	UN2810
14	1.2. UN proper shipping	Toxic liquid, organic, n.o.s. (Dichlormethane)
	ame	· ····································
	1.3. Transport hazard class	(es)
• -	Class	6.1
		-
	Subsidiary risk	
	Label(s)	6.1
	1.4. Packing group	
	4.5. Environmental hazards	
	I.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
fo	r user	
ADN		
14	I.1. UN number	UN2810
14	I.2. UN proper shipping	Toxic liquid, organic, n.o.s. (Dichlormethane)
	ame	
14	1.3. Transport hazard class	(es)
	Class	6.1
	Subsidiary risk	-
	Label(s)	6.1
1/	1.4. Packing group	
	4.4. Facking group 4.5. Environmental hazards	
	4.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	r user	
IATA		
	I.1. UN number	UN2810
14	1.2. UN proper shipping	Toxic liquid, organic, n.o.s. (Dichlormethane)
	ame	
14	1.3. Transport hazard class	es)
	Class	6.1
	Subsidiary risk	-
	Label(s)	6.1
	1.4. Packing group	
14	i.i. racking group	
		No
14	4.5. Environmental hazards RG Code	No 6L
14 Ef	4.5. Environmental hazards RG Code	6L
14 El 14	1.5. Environmental hazards	
14 El 14	4.5. Environmental hazards RG Code 4.6. Special precautions	6L
14 El 14 fo IMDG	4.5. Environmental hazards RG Code 4.6. Special precautions r user	6L Read safety instructions, SDS and emergency procedures before handling.
14 EF 14 fo IMDG 14	4.5. Environmental hazards RG Code 4.6. Special precautions r user 4.1. UN number	6L Read safety instructions, SDS and emergency procedures before handling. UN2810
14 EF 14 fo IMDG 14 14	4.5. Environmental hazards RG Code 4.6. Special precautions r user 4.1. UN number 4.2. UN proper shipping	6L Read safety instructions, SDS and emergency procedures before handling.
14 EF 14 fo IMDG 14 14 na	4.5. Environmental hazards RG Code 4.6. Special precautions r user 4.1. UN number 4.2. UN proper shipping ame	6L Read safety instructions, SDS and emergency procedures before handling. UN2810 Toxic liquid, organic, n.o.s. (Dichlormethane)
14 EF 14 fo IMDG 14 14 na	4.5. Environmental hazards RG Code 4.6. Special precautions r user 4.1. UN number 4.2. UN proper shipping ame 4.3. Transport hazard class	6L Read safety instructions, SDS and emergency procedures before handling. UN2810 Toxic liquid, organic, n.o.s. (Dichlormethane)
14 EF 14 fo IMDG 14 14 na	4.5. Environmental hazards RG Code 4.6. Special precautions r user 4.1. UN number 4.2. UN proper shipping ame 4.3. Transport hazard class(Class	6L Read safety instructions, SDS and emergency procedures before handling. UN2810 Toxic liquid, organic, n.o.s. (Dichlormethane) (es) 6.1
14 EF 14 fo IMDG 14 14 na	4.5. Environmental hazards RG Code 4.6. Special precautions or user 4.1. UN number 4.2. UN proper shipping ame 4.3. Transport hazard class Class Subsidiary risk	6L Read safety instructions, SDS and emergency procedures before handling. UN2810 Toxic liquid, organic, n.o.s. (Dichlormethane) (es) 6.1
14 EF 14 fo IMDG 14 14 na	4.5. Environmental hazards RG Code 4.6. Special precautions r user 4.1. UN number 4.2. UN proper shipping ame 4.3. Transport hazard class(Class	6L Read safety instructions, SDS and emergency procedures before handling. UN2810 Toxic liquid, organic, n.o.s. (Dichlormethane) (es) 6.1

14.4. Packing group	111
14.5. Environmental hazards	No
Marine pollutant EmS	No F-A, S-A
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
14.7. Transport in bulk according to Annex II of	Not applicable.
MARPOL 73/78 and the IBC Code	
SECTION 15: Regulatory in	formation
-	ental regulations/legislation specific for the substance or mixture
EU regulations	
Regulation (EC) No. 1005/200 Not listed.	9 on substances that deplete the ozone layer, Annex I
	9 on substances that deplete the ozone layer, Annex II
Regulation (EC) No. 850/2004 Not listed.	On persistent organic pollutants, Annex I as amended
	concerning the export and import of dangerous chemicals, Annex I, part 1 as amended
	concerning the export and import of dangerous chemicals, Annex I, part 2 as amended
Not listed.	concerning the export and import of dangerous chemicals, Annex I, part 3 as amended
Not listed.	concerning the export and import of dangerous chemicals, Annex V as amended
	Annex II Pollutant Release and Transfer Registry 19-2)
	6, REACH Article 59(1) Candidate List as currently published by ECHA
Authorisations	
Regulation (EC) No. 1907/200 Not listed.	6, REACH Annex XIV Substances subject to authorisation, as amended
Restrictions on use	
	6, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Dichlormethane (CAS 75-0 Directive 2004/37/EC: on the work	9-2) protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed. Directive 92/85/EEC: on the s breastfeeding	afety and health of pregnant workers and workers who have recently given birth or are
Dichlormethane (CAS 75-0	9-2)
Other EU regulations	
Directive 96/82/EC (Seveso II)	on the control of major-accident hazards involving dangerous substances
Not listed. Directive 98/24/FC on the pro	tection of the health and safety of workers from the risks related to chemical agents at work
Dichlormethane (CAS 75-0	
Dichlormethane (CAS 75-0	
Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
National regulations	Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations	CLP: Regulation No. 1272/2008. DNEL: Derived No-Effect Level. PNEC: Predicted No-Effect Concentration.	
References	Not available.	
Information on evaluation method leading to the classification of mixture	The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.	
Full text of any statements or R-phrases and H-statements under Sections 2 to 15	 R22 Harmful if swallowed. R36/38 Irritating to eyes and skin. R40 Limited evidence of a carcinogenic effect. R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H373 May cause damage to organs (<@1>) through prolonged or repeated exposure. 	
Training information	Follow training instructions when handling this material.	
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available.	