

SAFETY DATA SHEET CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	CAR GODS 54 IRIS DIAMOND COLOUR LIGHT GREEN
Product number	GOD117
1.2. Relevant identified uses	of the substance or mixture and uses advised against
1.3. Details of the supplier of	the safety data sheet
Supplier	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com
Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com
1.4. Emergency telephone nu	Imber
Emergency telephone	+44 (0)161 764 5981
SECTION 2: Hazards identified	cation
2.1. Classification of the subs	tance or mixture
Classification (EC 1272/2008	
Physical hazards	Not Classified
Health hazards	Skin Sens. 1 - H317
Environmental hazards	Not Classified
2.2. Label elements Hazard pictograms	
Signal word	Warning
Hazard statements	H317 May cause an allergic skin reaction.

Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 Avoid breathing vapour/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	2-METHYLISOTHIAZOL-3(2H)-ONE
Detergent labelling	15 - < 30% aliphatic hydrocarbons, < 5% non-ionic surfactants, < 5% perfumes, < 5% polycarboxylates, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE
Supplementary precautionary statements	P321 Specific treatment (see medical advice on this label).

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

3.2. Mixtures

DISTILLATES (PETROLEUM), H KEROSINE - UNSPECIFIED	YDROTREATED LIGHT;	10-<30%
CAS number: —	EC number: 926-141-6	REACH registration number: 01- 2119484819-18-0001
Classification		
Asp. Tox. 1 - H304		
PARAFFIN WAX		3-<5.0%
CAS number: 8002-74-2	EC number: 232-315-6	REACH registration number: 01- 2119488076-30-0007
Classification		
Not Classified		
ALCOHOLS, C16-18, ETHOXYL	ATED (APPROX 20 EO)	0.1-<0.3%
CAS number: 68439-49-6	EC number: 500-212-8	
M factor (Acute) = 1		
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		

[
AMMONIA100%	-<0.05
CAS number: 1336-21-6	EC number: 215-647-6
M factor (Acute) = 1	
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400	
2-METHYLISOTHIAZOL-3(2	H)-ONE 0.001 - <0.005%
CAS number: 2682-20-4	EC number: 220-239-6
M factor (Acute) = 1	
Classification Acute Tox. 3 - H301 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400 BUTYL HYDROXY TOLUEN CAS number: 128-37-0	IE 0.001 - <0.005% EC number: 204-881-4
M factor (Chronic) = 1	
Classification Aquatic Chronic 1 - H410	
SECTION 4: First aid measure	ements is displayed in Section 16.
4.1. Description of first aid me	
General information	Get medical attention if any discomfort continues. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Effects may be delayed. Keep affected person under observation. Remove affected person from source of contamination.
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if a large quantity has been ingested. Show this Safety Data Sheet to the medical personnel.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Get medical attention if any discomfort continues.

Eye contactImportant! Immediately rinse with water for at least 15 minutes. Remove any contact lenses
and open eyelids wide apart. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.
Inhalation	No specific symptoms known.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	Skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Blistering may occur.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. May cause blurred vision and serious eye damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Water. Use fire- extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	No specific firefighting precautions known.
Special protective equipment for firefighters	Leave danger zone immediately.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Avoid contact with skin and eyes.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	No specific clean-up procedure recommended.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes. Do

7.2. Conditions for safe storage, including any incompatibilities

not handle broken packages without protective equipment.

Storage precautions Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

PARAFFIN WAX

Long-term exposure limit (8-hour TWA): WEL 2 mg/m³ fume Short-term exposure limit (15-minute): WEL 6 mg/m³ fume

AMMONIA ...100%

Long-term exposure limit (8-hour TWA): WEL 18 mg/m³ Short-term exposure limit (15-minute): WEL 25 mg/m³

BUTYL HYDROXY TOLUENE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment





Appropriate engineering controls	All handling should only take place in well-ventilated areas.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.
Hygiene measures	Provide eyewash station and safety shower. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Wash hands after contact. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Green.
Odour	Fruity.

Odour threshold	Not determined. Scientifically unjustified.
рН	pH (concentrated solution): 8.5
Melting point	Not determined. Scientifically unjustified.
Initial boiling point and range	100°C @
Flash point	75°C
Evaporation rate	Not determined. Scientifically unjustified.
Upper/lower flammability or explosive limits	Scientifically unjustified. Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.000 - 1.020 @ 20°C
Solubility(ies)	Scientifically unjustified.
Partition coefficient	Not determined. Scientifically unjustified.
Auto-ignition temperature	Not determined. Scientifically unjustified.
Decomposition Temperature	Not determined. Scientifically unjustified.
Viscosity	3000-4000 @ °C
Oxidising properties	Not determined.
9.2. Other information	
Other information	None.
Other information SECTION 10: Stability and rea	
SECTION 10: Stability and rea	
SECTION 10: Stability and rea 10.1. Reactivity	The following materials may react strongly with the product: Alkaline earth metals. Powdered
SECTION 10: Stability and rea 10.1. Reactivity Reactivity	The following materials may react strongly with the product: Alkaline earth metals. Powdered
SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability	Activity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns.
SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability Stability	Activity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns.
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous	The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns. reactions
SECTION 10: Stability and real 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions	The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns. reactions
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous Possibility of hazardous 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials	activity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns. reactions Not applicable. There are no known conditions that are likely to result in a hazardous situation.
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid	Activity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns. Freactions Not applicable.
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous Possibility of hazardous 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition	Activity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns.
SECTION 10: Stability and reading 10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous Possibility of hazardous 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid	Activity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns. Teactions Not applicable. There are no known conditions that are likely to result in a hazardous situation. Alkali metals. Powdered metal.
SECTION 10: Stability and reading 10.1. Reactivity Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition	activity The following materials may react strongly with the product: Alkaline earth metals. Powdered metal. No particular stability concerns. reactions Not applicable. There are no known conditions that are likely to result in a hazardous situation. Alkali metals. Powdered metal. on products Does not decompose when used and stored as recommended.

Acute and chronic health hazards	This product has low toxicity. Only large quantities are likely to have adverse effects on human health. This product may cause skin and eye irritation.	
SECTION 12: Ecological inform	nation	
Ecotoxicity	Not regarded as dangerous for the environment.	
12.1. Toxicity Acute aquatic toxicity Acute toxicity - fish	LC₅₀, 96 hours: 2200 (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE – UNSPECIFIED) mg/l, Fish	
12.2. Porsistance and degrade		
12.2. Persistence and degrada	There are no data on the degradability of this product.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	Po data available on bioaccumulation.	
Partition coefficient	Not determined. Scientifically unjustified.	
12.4. Mobility in soil		
Adsorption/desorption coefficient	Not available.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	Not applicable.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	Waste should be treated as controlled waste.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and local regulations.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name	e	
Not applicable.		
14.3. Transport hazard class(e	<u>es)</u>	
No transport warning sign requ	uired.	
14.4. Packing group		

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	EH40/2005 Workplace exposure limits
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Health & Safety Department
Revision date	09/05/2019
Revision	1
SDS number	33221
SDS status	Approved.
Hazard statements in full	 H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.