Report Date: 24/11/2010 1 / 4

SDS NO.: 16028



# SAFETY DATA SHEET RADIATOR FLUSH

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME RADIATOR FLUSH

PRODUCT NO. CNR300, GAF301, RAF301, SRF300

INTERNAL ID A

APPLICATION Car maintenance product
SUPPLIER TETROSYL LIMITED
PENTS OFFENDMORES

BEVIS GREEN WORKS

WALMERSLEY

BURY BL9 6RE

0161 764 5981 0161 797 5899 info@tetrosyl.com

# **2 HAZARDS IDENTIFICATION**

Irritating to eyes and skin.

CLASSIFICATION (1999/45) Xi;R36/38.

**HUMAN HEALTH** 

See section 11 for additional information on health hazards.

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name                  | EC No.    | CAS-No.   | Content | Classification (67/548)  |
|-----------------------|-----------|-----------|---------|--|
| BENZENE               | 200-753-7 | 71-43-2   | <0.1%   | F;R11 Carc. Cat. 1;R45 Muta. Cat. 2;R46<br>T;R48/23/24/25 Xn;R65 Xi;R36/38 |
| DISODIUM METASILICATE | 229-912-9 | 6834-92-0 | 5-10%   | C;R34 Xi;R37   |
| PHOSPHORIC ACID%      | 231-633-2 | 7664-38-2 | 1-5%    | C;R34  |

The Full Text for all R-Phrases are Displayed in Section 16

# 4 FIRST-AID MEASURES

# **GENERAL INFORMATION**

Remove affected person from source of contamination. Get medical attention if any discomfort continues.

### NOTES TO THE PHYSICIAN

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

### INHALATION

Get medical attention if any discomfort continues. Place unconscious person on the side in the recovery position and ensure breathing can take place.

### INGESTION

Consult a physician for specific advice.

### SKIN CONTACT

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if any discomfort continues.

### **EYE CONTACT**

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues. Do not rub eye.

Report Date: 24/11/2010 2 /

SDS NO.: 16028

### RADIATOR FLUSH

### **5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA** 

Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

No specific fire fighting procedure given.

PROTECTIVE MEASURES IN FIRE

Leave danger zone immediately.

### **6 ACCIDENTAL RELEASE MEASURES**

#### PERSONAL PRECAUTIONS

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces.

### **ENVIRONMENTAL PRECAUTIONS**

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

#### SPILL CLEAN UP METHODS

For waste disposal, see section 13. When dealing with a spillage, please consult the section relating to suitable protective measures. Absorb spillage with non-combustible, absorbent material. Ventilate well. Prevent discharge of larger quantity to drain.

### 7 HANDLING AND STORAGE

### **USAGE PRECAUTIONS**

Read and follow manufacturer's recommendations. Avoid spilling, skin and eye contact. Always remove grease with soap and water or skin cleaning agent, never use organic solvents. Do not eat, drink or smoke when using the product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.

### STORAGE PRECAUTIONS

Keep away from heat, sparks and open flame. Keep away from food, drink and animal feeding stuffs. Store in tightly closed original container in a dry, cool and well-ventilated place.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

| Name             | Std | TWA - 8 hrs |         | STEL - 15 min |         | Notes |
|------------------|-----|-------------|---------|---------------|---------|-------|
| BENZENE          | WEL | 1 ppm       |         |               |         |       |
| PHOSPHORIC ACID% | WEL |             | 1 mg/m3 |               | 2 mg/m3 |       |

WEL = Workplace Exposure Limit.

# PROTECTIVE EQUIPMENT





### PROCESS CONDITIONS

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station.

### **ENGINEERING MEASURES**

Observe occupational exposure limits and minimize the risk of inhalation of vapours.

### RESPIRATORY EQUIPMENT

If ventilation is insufficient, suitable respiratory protection must be provided.

### HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

### **EYE PROTECTION**

Goggles/face shield are recommended.

# OTHER PROTECTION

Wear appropriate clothing to prevent reasonably probable skin contact.

# HYGIENE MEASURES

Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet.

Report Date: 24/11/2010 3 / 4

SDS NO.:

16028

# **RADIATOR FLUSH**

### 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOUR Yellow
RELATIVE DENSITY 1.130 - 1.150

### 10 STABILITY AND REACTIVITY

**STABILITY** 

No particular stability concerns.

### 11 TOXICOLOGICAL INFORMATION

**HEALTH WARNINGS** 

This chemical can be hazardous when inhaled and/or touched.

# 12 ECOLOGICAL INFORMATION

**ECOTOXICITY** 

Dangerous for the environment if discharged into watercourses.

# 13 DISPOSAL CONSIDERATIONS

**GENERAL INFORMATION** 

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

**DISPOSAL METHODS** 

Dispose of waste and residues in accordance with local authority requirements. Absorb spillage with non-combustible, absorbent material.

### 14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

# 15 REGULATORY INFORMATION

LABELLING



Irritant

**RISK PHRASES** 

R36/38 Irritating to eyes and skin.

SAFETY PHRASES

S2 Keep out of the reach of children. S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S37 Wear suitable gloves.

S46 If swallowed, seek medical advice immediately and show this container or label.

S56 Dispose of this material and its container to hazardous or special waste collection point.

S64 If swallowed, rinse mouth with water (only if the person is conscious).

# **16 OTHER INFORMATION**

**REVISION COMMENTS** 

NOTE: Lines within the margin indicate significant changes from the previous revision.

**ISSUED BY** 

Health & Safety Department

REVISION DATE 24/11/2010

Report Date: 24/11/2010 4 / 4

RADIATOR FLUSH

SDS NO.:

16028

REV. NO./REPL. SDS GENERATED 17

RISK PHRASES IN FULL

R34 Causes burns.

R65 Harmful: may cause lung damage if swallowed.

R11 Highly flammable.

R36/38 Irritating to eyes and skin.
R37 Irritating to respiratory system.

R45 May cause cancer.

R46 May cause heritable genetic damage.

R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin

and if swallowed.

### **DISCLAIMER**

The information provided in this document has been compiled on the basis of our current knowledge and is believed to be in accordance with the requirements of the Dangerous Substances Directive, Dangerous Preparations Directive and Safety Data Sheets Directive. The information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. The conditions and extent of storage and use of material are outside of our control and within the control of the possessor or user. Consequently it is the responsibility of the possessor or user to satisfy themselves as to the completeness of such information and the suitability of the material for their own particular circumstances, conditions or use.